



**NOTICE**  
 This drawing is a part of the property of the Boeing Company and is not to be distributed, copied, or reproduced in any form without the written permission of the Boeing Company. It is intended for use as a reference only and is not to be used for any other purpose without the written permission of the Boeing Company.




-11 CABIN TEMPERATURE SENSOR

PARAMETERS (TEMP VS RESISTANCE)			
TEMP F	PINS 3 & 4 RESISTANCE OHMS	PINS 2 & 5 RESISTANCE OHMS	
68	37300	3748	
69.8	35700	3583	
71.6	34170	3425	
73.4	32710	3277	
75.2	31320	3135	
77	30000	3000	

- FOR DRAFTING PURPOSE THIS CHART HAS BEEN GROUPED -

- NOTES CONTINUED:  
 7. VOLTAGE: 28 VDC  
 8. CURRENT: 2 AMPS  
 9. WEIGHT: 5 OZS.  
 10. PLACE INSPECTION STAMPS ON INSIDE OF THE HOUSING.



- FOR DRAFTING PURPOSE THIS SCHEMATIC DIAGRAM HAS BEEN GROUPED -

C.O. NO.	REV.	REVISION DESCRIPTION	DATE	APPD.
AS3009	0	DETAIL NAMEPLATE/ARROW TO THE BOTTOM OF COVER CONVERTED TO SH. 1 OF 1. SEE ECO.	2-14-05	D.S.

REV.	REV. DATE	DESCRIPTION	MATERIAL	QTY.	UNIT	REV. DATE	DESCRIPTION	MATERIAL	QTY.	UNIT
0										

DESIGNER	DATE	CHECKED	DATE
BY: J. LADNER	10-13-83	BY: J. LADNER	10-13-83

ENGINEER	DATE	CHECKED	DATE
BY: J. LADNER	10-13-83	BY: J. LADNER	10-13-83

DATE	SCALE	BY	APPD.
19427100-11	1:1	D	D.S.